

Pre-Approved Product Evaluation Request & Summary

Product Evaluation Coordinator
Colorado Department of Transportation 4670 North Holly Street
Denver, Colorado 80216

APL Reference No.

2030-25

Material Code

711.01.01.00

Material Code description full name

Concrete, Curing

Part 1

Product Name:

Maxcure Resin Clear

Product category:

Concrete\Curing Compound\Type 1 [Clear, Resin Based]

Product Representative / Distributer (name & address):

Andrew Beaty

US Mix
112 South Santa Fe Drive
Denver, CO 80223

Manufacturer (name & address):

Andrew Beaty

US Mix
112 South Santa Fe Drive
Denver, CO 80223

Phone: (303) 778-7227 E-mail: andrew.beaty@oldcastle.co

Website address
www.usspec.com

Phone: (303) 778-7227 E-mail: andrew.beaty@oldcastle.com

Website address
www.usspec.com

Description of the product: (Include specific quantifiable details from the tech data sheet. Advertising generalities are not appropriate.)

US SPEC Maxcure Resin Clear is a water-emulsion, VOC compliant, dissipating resin, membrane forming curing compound. It should be applied on fresh poured concrete immediately after the bleed water dissipates. Meets ASTM C309 Type 1 Class A and B and AASHTO M148 as tested in accordance with ASTM C156 and AASHTO T155.

Restrictions, (installation and/or use):

Do not apply when the temperature of the concrete is below 40 F (4 C).

Use of the product, and Benefit to CDOT (be specific to CDOT highway activities only):

Product usage is, but not limited to, curing of freshly poured horizontal or vertical concrete surfaces.

Specifications: (listing those applicable is required.)

<input checked="" type="checkbox"/>	CDOT	711.01
<input checked="" type="checkbox"/>	AASHTO	M148, Type I
<input checked="" type="checkbox"/>	ASTM	C309 Type I, Class A and B
<input type="checkbox"/>	Other	
<input type="checkbox"/>	Other	

☐ Certificate of Compliance

☐ Certificate of Verification

Product Testing: (National/independent laboratories or universities with Report Date.) A certified Test Report (CTR) is provided to validate all claims.

<input type="checkbox"/>	AASHTO Product Evaluation & Audit Solutions (NTPEP)	
<input checked="" type="checkbox"/>	ASTM	Concrete - Solutions (January 27, 2025)
<input type="checkbox"/>	Other	
<input type="checkbox"/>	Other	
<input type="checkbox"/>	Other	

State DOT Approvals: Expiration Date 4 Year Cycle 05/15/2029

Sample Submitted ☐ Yes ☒ No ☐ N/A Safety Data Sheets (SDS): ☒ Yes ☐ No ☐ N/A

Alternate Product Category

CDOT Restrictions as per CDOT Approving Authority

Evaluators Signature: