

SCALE
 HORIZ: 1" = 50'
 VERT: 1" = 10'


CALL UTILITY NOTIFICATION
 CENTER OF COLORADO
1-800-922-1987
 CALL 2-BUSINESS DAYS IN ADVANCE
 BEFORE YOU DIG, GRADE, OR EXCAVATE
 FOR THE MARKING OF UNDERGROUND
 MEMBER UTILITIES.

- NOTES:
1. REINFORCED CONCRETE PIPE BEING JACKED SHALL BE CLASS V AS SPECIFIED IN SECTION 706.02 OF CDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, 2005.
 2. EXISTING "DITCH" SHALL BE FILLED WITH "CLASS 2" BACKFILL AND GRADED SMOOTHLY TO ROADWAY TOP OF CUT.
 3. STATION & OFFSET CALL-OUTS AND RIM ELEVATIONS FOR ALL MANHOLES, TYPE C AND TYPE D INLETS ARE AT CENTER OF STRUCTURE.
 4. STATION & OFFSET CALL-OUTS FOR TYPE R INLETS ARE AT MIDPOINT OF STRUCTURE ALONG THE FLOWLINE.
 5. TYPE R INLET RIM ELEVATIONS AT MIDPOINT OF STRUCTURE ALONG FLOWLINE ARE FOR INFORMATION PURPOSES ONLY. THE CONTRACTOR SHALL MATCH AND VERIFY ELEVATIONS TO PROPOSED CURB AND GUTTER AND SIDEWALKS.
 6. PIPE LENGTHS ARE MEASURED FROM CENTER OF STRUCTURE TO CENTER OF STRUCTURE.
 7. UTILITY INFORMATION IS APPROXIMATE, THE CONTRACTOR SHALL FIELD VERIFY ALL INFORMATION.

Computer File Information	
Creation Date:	Initials: SL
Plot Date:	7/26/2007 Initials: SL
Full Path:	...\\14811HydraulicsProfile03-Revised.dgn
Drawing File Name:	14811HydraulicsProfile03-Revised.dgn
CAD Ver.:	MicroStation V8 Scale: Units: English

Sheet Revisions		
Date:	Comments	Init.

Colorado Department of Transportation



2000 South Holly Street
 Denver, CO 80222
 Phone: 303-398-6780 FAX: 303-398-6781

Region 6 JS

As Constructed	
No Revisions:	
Revised:	
Void:	

DRAINAGE PROFILE LINE H	
Designer:	SL
Detailer:	SL
Sheet Subset:	
Structure Numbers:	
Subset Sheets:	2 OF 8

Project No./Code
STU M040-011
14811
Sheet Number